# ECATALOG 2018-2019

Fure Spec TM





00





# REPUBLIC FLOORS is all about innovation that gives you the freedom of choice.

Until now, people who wished to floor their homes had the choice between the products of big manufacturers - who typically offer decent products at high prices and limited range – and imports that offer a large variety of styles at low cost, but suffer from dubious quality and reliability. Many such imports don't even conform to lenient US health codes - let alone California's strict CARB requirements.

With **REPUBLIC** all that has changed. **REPUBLIC** was created to offer the best of both worlds – great, **GUARANTEED** quality, offered in range of dazzling styles – and all at lower prices.

We can do all that because we don't **IMPORT** our products from unknown makers in the Far East– we **MANUFACTURE** it in the Far East ourselves or we import it from the finest floor makers in Europe.

REPUBLIC: you never have to settle for less.

The benefits of SPC	3
The Brentwood Collection	4
Great California Oak Collection	6
Great Oregon Oak Collection	8
Coastal Oak Collection	10
Beach House Collection	12
Mountain Oak Collection	14
The French Island Collection	16
Carmel By The Sea Collection	18
Crown Colony Collection	20
Countryside Collection	22
Soutern Charm Collection	24
Western North Woods Collection	26
Westwood Collection	28
General Information	30
Warranty Information	32
Maintenace Information	33



Pure SPC ™ \*6 100% Waterproof flooring

#### The Benefits of SPC Flooring

- There is little doubt that Stone Plastic Composite (SPC) flooring is emerging as one of the most popular flooring categories today. But what is SPC and what is the reason behind that popularity? Here are a few answers to some key questions.
- What is SPC?

SPC is a composite material that does not contain any wood. It is waterproof, rigid and stable. SPC products are commonly referred to as enhanced vinyl plank, luxury vinyl flooring or waterproof vinyl.

• Is SPC better than laminate?

The biggest advantage of SPC is that it's waterproof and appropriate for areas where laminate shouldn't be used – bathrooms, for example. In addition, the wear layer of SPC offers more cushion and absorbs sound to make a quieter floor.

• How is SPC different from LVT?

This biggest difference between SPC and LVT is that SPC is waterproof. It can also be laid over most subfloors with little preparation. Unlike traditional vinyl floor that will highlight any unevenness present in the subfloor, the rigid core of SPC flooring allows for longer and wider format options so you don't have to worry when installing over cracks or divots in subfloors.

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

# Republic Floor

For the following product(s): Vinyl Tile: PURE SPC 3.2mm-8.0mm

The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):  ${\bf FloorScore}^{\$}$ 



CDPH/EHLB Standard Method v1.2-2017)

Registration # SCS-FS-04893 Valid from: February 23, 2018 to October 31, 2018 SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® prod conflication: certified products are only listed on the SCS Green Product Sciula, http://www.scipbalservices.com/certified-green-products-guide



Stanley Mathuram, PE, Vice President SCS Global Services 2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA





## SPC BENEFITS



Extra-Long Pure SPC Flooring collection

# THE BRENTWOOD COLLECTION

Just like the tree lined, upscale neighborhood, The Republic Brentwood collection offers a plush impression and classic tone combined with durability like no other floor. Republic's new Extra-Long floor features wider and longer planks for a more authentic look and feel.

The new Republic Pure SPC features Republic's proprietary technology that makes the floors completely inert and waterproof. It carries a limited 25 year residential warranty and a limited 10 year commercial warranty. In addition, our all-new anti-bacterial EVA underlayment padding comes attached to the floor planks. Not only does this make installation quicker - it also offers excellent noise insulation never available before.

Edge Profile:EIR+4 sided bevel.

Warranty: Limited 25 Years Residential and 10 Years Commercial.

Extra-Long planks: 1800mm (71 7/8").

Extra-Wide planks: 228mm (9").

Total Thickness: 8mm (Including 1.5mm anti-bacterial acoustic underlayment).

Construction: Extra-Long Pure SPC Flooring.

Finish: Aluminium Oxide UV+Ceramic beads.

Box Size: 26.51 SQF.

Wear layer: 0.5mm/20mil.

Recommended Usage: Residential and Commercial.

Installation method: Glueless Floating.

Installation level: All Grades.

Matching Moldings Available.

Phthalate Free.

Slip Resistance: R10.

VOC Emissions: No VOC.



# THE BRENTWOOD COLLECTION



**RETB3101** Crestwood Hills







RETB3103 Bundy Canyon



#### RETB3104 Kenter Canyon



Pure SPC Lungo Flooring Extra-Long planks: 1800mm (71 7/8") Extra-Wide planks: 228mm (9") Total Thickness: 8mm







# GREAT CALIFORNIA OAK COLLECTION

The Republic Great California Oak collection, with its beveled edges and realistic grains, looks practically identical to real wood flooring, but is far more durable and affordable than ever AND is 100% waterproof! Republic's new Extra-Wide floor features wider and longer planks for a more authentic old-floor look and feel.

The new Republic Pure SPC features Republic's proprietary technology that makes the floors completely inert and waterproof. It carries a limited 25 year residential warranty and a limited 10 year commercial warranty. In addition, our all-new anti-bacterial EVA underlayment padding comes attached to the floor planks. Not only does this make installation much easier and quicker - it also offers excellent noise insulation never available before.

Edge Profile: EIR+sided bevel.

Warranty: Limited 25 Years Residential and 10 Years Commercial.

Extra-Long planks: 1524mm (60").

Extra-Wide planks: 228mm (9").

Total Thickness: 8mm (Including 1.5mm anti-bacterial acoustic underlayment).

Construction: Extra-Wide Pure SPC Flooring.

Finish: Aluminium Oxide UV.

Box Size: 37.4 SQF

Wear layer: 0.5mm/20mil.

Recommended Usage: Residential and Commercial.

Installation method: Glueless Floating.

Installation level: All Grades.

Matching Moldings Available.

Phthalate Free.

Slip Resistance: R10.

VOC Emissions: No VOC.

TOO OO



# **GREAT CALIFORNIA OAK COLLECTION**



RECA2201 California Black Oak



RECA2202 Laurel Oak



RECA2203 Scarlet Oak



RECA2204 Willow Oak



RECA2205 Cherrybark Oak



Extra-Wide Pure SPC Flooring Extra-Wide planks: 228mm (9") Extra-Long planks: 1524mm (60") Total Thickness: 8mm (Including anti-bacterial EVA)







# GREAT OREGON OAK COLLECTION

The mighty, native oaks of the Pacific Northwest are known for their enduring strength. The Republic Great Oregon Oak Collection provides you with the natural beauty and durability of these majestic trees. Republic's new Extra-Wide floor features wider and longer planks for a more authentic old-floor look and feel.

The new Republic Pure SPC features Republic's proprietary technology that makes the floors completely inert and waterproof. It carries a limited 25 year residential warranty and a limited 10 year commercial warranty. In addition, our all-new anti-bacterial EVA underlayment padding comes attached to the floor planks. Not only does this make installation much easier and quicker - it also offers excellent noise insulation never available before.

Edge Profile: EIR+sided bevel.

Warranty: Limited 25 Years Residential and 10 Years Commercial.

Extra-Long planks: 1524mm (60").

Extra-Wide planks: 228mm (9").

Total Thickness: 8mm (Including 1.5mm anti-bacterial acoustic underlayment).

Construction: Extra-Wide Pure SPC Flooring.

Finish: Aluminium Oxide UV.

Box Size: 37.4 SQF

Wear layer: 0.5mm/20mil.

Recommended Usage: Residential and Commercial.

Installation method: Glueless Floating.

Installation level: All Grades.

Matching Moldings Available.

Phthalate Free.

Slip Resistance: R10.

VOC Emissions: No VOC.

ANRARO O CONT



# **GREAT OREGON OAK COLLECTION**



REOR2301 Water Oak



REOR2302 Holm Oak



**REOR2303** Japanese Oak



REOR2304 Oregon White Oak



REOR2305 Sessile Oak



Extra-Wide Pure SPC Flooring Extra-Wide planks: 228mm (9") Extra-Long planks: 1524mm (60") Total Thickness: 8mm (Including anti-bacterial EVA)







HATERDRO DO CO

# COASTAL OAK COLLECTION

The Republic Coastal Oak collection provides the calming feel of the shoreline with durability that's affordable. The natural oak look brings a relaxing, serene atmosphere to your home. Our new exclusive Pure SPC line is 100% waterproof.

The new Republic Coastal Oak collection is Pure SPC featuring our own technology the makes our floors both unique and durable. We stand behind our long lasting, waterproof flooring with a limited 25 year residential warranty, and a 10 year commercial warranty.

In addition, our all-new anti-bacterial EVA underlayment padding comes attached to the floor planks. Not only does this make installation much easier and quicker - it also offers excellent noise insulation never available before.

Surface: EIR+Micro Bevel.

Warranty: Limited 25 Years Residential and 10 Years Commercial.

Planks Length: 1220mm (48").

Planks Width: 182mm (7 5/32").

Thickness: 7.8mm. (Including 1.5mm anti-bacterial acoustic underlayment).

Construction: Pure SPC Flooring.

Finish: Aluminium Oxide UV.

Box Size: 33.46 SQF.

Wear layer: 0.5mm/20mil.

Recommended Usage: Residential and Commercial.

Installation method: Glueless Floating.

Installation level: All Grades.

Matching Moldings Available.


Phthalate Free.

Slip Resistance: R10.

VOC Emissions: No VOC.



# **COASTAL OAK COLLECTION**



REC02405 Sand Live Oak

REC02406 Channel Island Scrub Oak

REC02407 Blue Oak

**Pure SPC Flooring** Planks Length: 1220mm (48") Planks Width: 182mm (7 5/32") Thickness: 6.3mm







HATERDROOD CO

# BEACH HOUSE COLLECTION

Nothing beats the warm and comforting feeling of a day at the beach. The Republic Beach House collection, in easy going colors, invokes that feeling with its real wood grain look and its ability to stand up to water. Go ahead and allow wet feet to come in and dry off - we've got you covered!

The new Republic Pure SPC features Republic's proprietary Stone Plastic Composite technology which is completely inert and waterproof. Unlike WPC (wood plastic composite) floors, Republic's stone composite contains no wood of any kind. At 7mm thickness, it is stronger and snaps into place far easier than the usual 5.5mm composites. It lasts longer and - true to the Republic way - is completely green.

Profile: 4 sided bevel.
Warranty: Limited 25 Years Residential and 5 Years Commercial.
Thickness: 7mm.
Construction: Pure SPC Flooring.
Finish: Aluminium Oxide UV.
Box Size: 23.64 SQF.
Wear Layer: 0.5mm/20mil.
Recommended Usage: Residential and Commercial.
Installation Method: Glueless Floating.
Installation Level: All Grades.
Matching Moldings Available.
Phthalate Free.
Slip Resistance: R10.
VOC Emissions: No VOC.



# **BEACH HOUSE COLLECTION**



REWPC410 Myrtle Beach



REWPC440 Clearwater Beach



**REWPC470** East Hampton Beach



**REWPC480** Nantucket Beach



REWPC490 Martha's Vineyard Beach

**Pure SPC Flooring** Plank Dimensions: 7 1/8"x48" Thickness: 7mm





# MOUNTAIN OAK COLLECTION

For those who enjoy the view of the snow capped Denali, or the breezy, calm feel of the live oaks on the coast of Carmel, our Mountain Oak Collection is right for you.

Republic's own technology has ensured that these floors remain completely durable and 100% waterproof, while giving the look and feel of real hardwood flooring.

The new Republic Pure SPC features Republic's proprietary technology that makes the floors completely inert and waterproof and carries a limited 25 year residential warranty and a limited 10 year commercial warranty. Republic's Pure SPC floors are stronger and snap into place much easier than other floors.

Edge Profile: EIR+4 sided bevel.

Warranty: Limited 25 Years Residential 10 Years commercial.

Extra-long planks: 1524mm (60").

Extra-Wide planks: 228mm (9").

Total Thickness: 8mm (Including 1.5mm anti-bacterial acoustic underlayment).

Construction: Extra-Wide Pure SPC Flooring.

Finish: Aluminium Oxide UV.

Box Size: 37.4 SQF

Wear layer: 0.5mm/20mil.

Recommended Usage: Residential and Commercial.

Installation method: Glueless Floating.

Installation level: All Grades.

Matching Moldings Available.

Phthalate Free.


Slip Resistance: R10.

VOC Emissions: No VOC.

TOOD TO T



# **MOUNTAIN OAK COLLECTION**



Extra-Wide Pure SPC Flooring Extra-Wide planks: 228mm (9") Extra-Long planks: 1524mm (60") Total Thickness: 8mm (Including anti-bacterial EVA)





# THE FRENCH ISLANDS COLLECTION

Pure Spece

TOO DO

The Republic French Islands collection, with its extra-long planks and soothing colors, evokes a sense of tranquility and brings effortless beauty to any space in your home.

The new Republic Pure SPC features Republic's proprietary technology that makes the floors completely inert and waterproof. It carries a limited 25 year residential warranty and a limited 10 year ommercial warranty. In addition, our all-new anti-bacterial EVA underlayment padding comes attached to the floor planks. Not only does this make installation much easier and quicker - it also offers excellent noise insulation never available before.

Surface: Micro Bevel.

Warranty: Limited 25 Years Residential 10 Years commercial.

Planks Length: 1545mm (60 7/8").

Planks Width: 181mm (71/8").

Thickness: 8mm (Including 1.5mm anti-bacterial acoustic underlayment).

Construction: Pure SPC Flooring.

Finish: Aluminium Oxide UV.

Box Size: 36.13 SQF / 3.36 SQM.

Wear layer: 0.5mm/20mil.

Recommended Usage: Residential and Commercial.

Installation method: Glueless Floating.

Installation level: All Grades.

Matching Moldings Available.

Phthalate Free.

Slip Resistance: R10.

VOC Emissions: No VOC.



# E FRENCH ISLANDS COLLECTION



REFI4201 Corsica



REFI4202 Reunion



REFI4204 Martinique



REFI4205 Cherrybark Oak



Pure SPC Flooring Long planks: 1545mm (60 7/8") Total Thickness: 6.5mm





# CARMEL BY THE SEA COLLECTION

Pure Spece

NATERDRO CO CO

The Carmel By The Sea collection provides an ethereal, subdued feeling while being 100% waterproof and durable. These floors look identical to real wood and utilize Republic's own technology, making the floors completely stable.

The new Republic Pure SPC features Republic's proprietary technology that makes the floors completely inert and waterproof. It carries a limited 25 year residential warranty and a limited 10 year commercial warranty. In addition, our all-new anti-bacterial EVA underlayment padding comes attached to the floor planks. Not only does this make installation much easier and quicker - it also offers excellent noise insulation never available before.

Surface: 4 sided bevel.

Warranty: Limited 25 Years Residential 10 Years commercial.

Planks Length: 1220mm (48").

Planks Width: 180mm (7 3/32").

Thickness: 8mm (Including 1.5mm anti-bacterial acoustic underlayment).

**Construction:** Pure SPC Flooring.

Finish: Aluminium Oxide UV.

Box Size: 23.64 SQF.

Wear layer: 0.5mm/20mil.

Recommended Usage: Residential and Commercial.

Installation method: Glueless Floating.

Installation level: All Grades.

Phthalate Free.

Slip Resistance: R10.

VOC Emissions: No VOC.

3 3 4 4 4 4 4 4 4 4





RECB2701 Pebble Beach





Pure SPC Flooring Planks Length: 1220mm (48 1/32") Total Thickness: 8mm







S

TOOD ALLING OOD

# CROWN COLONY COLLECTION

Add a modern, regal feel to your home or business with Republic Floor's new Crown Colony collection. The wider boards and physical ripples give this floor a natural feel, while maintaining the strength and durability you've come to expect from a Republic Floor.

The new Republic Pure SPC features Republic's proprietary technology that makes the floors completely inert and waterproof. It carries a limited 25 year residential warranty and a limited 10 year commercial warranty. In addition, our all-new anti-bacterial EVA underlayment padding comes attached to the floor planks. Not only does this make installation much easier and quicker it also offers excellent noise insulation never available before.

Surface: 4 sided bevel.

Warranty: Limited 25 Years Residential 10 Years commercial.

Planks Length: 1524mm (60").

Planks Width: 182mm (7 11/64").

Thickness: 8mm (Including 1.5mm anti-bacterial acoustic underlayment).

Construction: Pure SPC Flooring.

Finish: Aluminium Oxide UV.

Box Size: 29.86 SQF.

Wear layer: 0.5mm/20mil.

Recommended Usage: Residential and Commercial.

Installation method: Glueless Floating.

Installation level: All Grades.

Phthalate Free.

Slip Resistance: R10.

VOC Emissions: No VOC.






RECR2601 Virginia



RECR2602 New South Wales



RECR2603 Tasmania



RECR2604 South Georgia



Pure SPC Flooring Planks Length: 1524mm (60") Total Thickness: 8mm







# COUNTRYSIDE COLLECTION

The Countryside collection from Republic provides the soft, neutral colors of the backwoods while staying true to our very own technology that provides durability and is 100% waterproof. Republic's new Extra-Wide floor features wider and longer planks for a more authentic old-floor look and feel.

The new Republic Pure SPC features Republic's proprietary technology that makes the floors completely inert and waterproof. It carries a limited 25 year residential warranty and a limited 10 year commercial warranty. In addition, our all-new anti-bacterial EVA underlayment padding comes attached to the floor planks. Not only does this make installation much easier and quicker - it also offers excellent noise insulation never available before.

Surface: 4 sided bevel.

Warranty: Limited 25 Years Residential 10 Years commercial.

Extra-Long Planks: 1524mm (60").

Extra-Wide Planks: 228mm (9").

Thickness: 8mm (Including 1.5mm anti-bacterial acoustic underlayment).

**Construction:** Extra-Wide Pure SPC Flooring.

Finish: Aluminium Oxide UV.

Box Size: 37.4 SQF.

Wear layer: 0.5mm/20mil.

Recommended Usage: Residential and Commercial.

Installation method: Glueless Floating.

Installation level: All Grades.

Phthalate Free.

Slip Resistance: R10.

VOC Emissions: No VOC.

TOOO O





RECS2101 Eastern Cottonwood



RECS2102 American Hornbeam



RECS2103 Hawthorn









Pure SPC Flooring Long planks: 1524mm (60") Total Thickness: 8mm





# SOUTERN CHARM COLLECTION

TOOOS TO T

Invoking the warm, welcoming hospitality of the region, Republic's Southern Charm collection is as appealing as a tall glass of sweet tea on a balmy summer day.

The new Republic Pure SPC features Republic's proprietary technology that makes the floors completely inert and waterproof. It carries a limited 25 year residential warranty and a limited 10 year commercial warranty. In addition, our all-new anti-bacterial EVA underlayment padding comes attached to the floor planks. Not only does this make installation much easier and quicker - it also offers excellent noise insulation never available before.

Surface: EIR+Micro Bevel.

Planks Length: 1545mm (60 53/64").

Planks Width: 181mm (7 1/8").

Thickness: 8mm (Including 1.5mm anti-bacterial acoustic underlayment).

Construction: Pure SPC Flooring.

Finish: Aluminium Oxide UV+Ceramic beads.

Box Size: 36.13 SQF.

Wear Layer: 0.5mm/20mil.

Recommended Usage: Residential and Commercial.

Installation Method: Glueless Floating.

Installation Level: All Grades.

Matching Moldings Available.

Phthalate Free.

Slip Resistance: R10.

VOC Emissions: No VOC.



# SOUTERN CHARM COLLECTION



RESO2901 Chaleston



RESO2902 Savannah



RESO2903 Asheville



RESO2904 Birmingham



RESO2905 Lafayette



Pure SPC Flooring Long planks: 1545mm (60 53/64") **Total Thickness: 8mm** 





# WESTERN NORTH WOODS COLLECTION

Republic's Western North Woods collection is like a breath of crisp, fresh air. With colors that invoke the calm of the great outdoors, you will feel like you are one with nature every day.

The new Republic Pure SPC features Republic's proprietary technology that makes the floors completely inert and waterproof. It carries a limited 25 year residential warranty and a limited 10 year commercial warranty. In addition, our all-new anti-bacterial EVA underlayment padding comes attached to the floor planks. Not only does this make installation much easier and quicker - it also offers excellent noise insulation never available before.

Surface: EIR+Micro Bevel.

Planks Length: 1218mm (47 61/64").

Planks Width: 181mm (7 1/8").

Thickness: 8mm (Including 1.5mm anti-bacterial acoustic underlayment).

Construction: Pure SPC Flooring.

Finish: Aluminium Oxide UV+Ceramic beads.

Box Size: 28.48 SQF.

S

TOOO O

Wear Layer: 0.5mm/20mil.

Recommended Usage: Residential and Commercial.

Installation Method: Glueless Floating.

Installation Level: All Grades.

Matching Moldings Available.

Phthalate Free.

Slip Resistance: R10.

VOC Emissions: No VOC.



# WESTERN NORTH WOODS COLLECTION



REWE2801 Western Brown



REWE2802 Sugar Tree



REWE2803 Coast Greywood



REWE2804 Candlenut Tree



Pure SPC Flooring Planks Length: 1218mm (47 61/64") Total Thickness: 8mm





# THE WESTWOOD COLLECTION

HATTERPRODUCE

Republic's The Westwood collection is as unique as the neighborhood itself. The neighborhood is known for its walkability and this collection handles volumes of foot traffic in exquisite style.

The new Republic Pure SPC features Republic's proprietary technology that makes the floors completely inert and waterproof. It carries a limited 25 year residential warranty and a limited 10 year commercial warranty. In addition, our all-new anti-bacterial EVA underlayment padding comes attached to the floor planks. Not only does this make installation much easier and quicker - it also offers excellent noise insulation never available before.

Surface:EIR+Painted V-groove.Planks Length: 1220mm (48 1/32").Planks Width: 178mm (7 1/64").Thickness: 8mm (Including 1.5mm anti-bacterial acoustic underlayment).Construction: Pure SPC Flooring.Finish: Aluminium Oxide UV+Ceramic beads.Box Size: 23.38 SQF.Wear Layer: 0.5mm/20mil.Recommended Usage: Residential and Commercial.Installation Method: Glueless Floating.Installation Level: All Grades.Matching Moldings Available.Phthalate Free.Slip Resistance: R10.VOC Emissions: No VOC.





Pure SPC Flooring Planks Length: 1220mm (48 1/32") Total Thickness: 8mm





#### Installation instructions

#### **Product Inspections**

Inspection of all flooring material must be done before installation. Materials with visible defects are not covered under warranties once they are installed. Our Pure SPC floors are manufactured in accordance with accepted industry standards, which permit defect tolerance not to exceed 2%.

#### **Sub-Floor Preparation**

- Sub-floor must be flat, dry, smooth, level, free from residues and structurally sound.
- A level slope is a foundation that is less from 5mm over 2 meters or 1/4" over 6 feet.
- Documents must be kept of all test results for warranty purposes.

#### Preparing the Room

• Check that the doors can still open and close after Pure SPC flooring is installed.

#### **Radiant Floor Heating**

- Pure SPC floors can be installed over of a multitude of in-floor heating systems, provided that instructions from the supplier of the in-floor heating system are followed.
- The temperature of the sub-floor or the heat radiating from electric heating mats should not exceed 84 degrees Fahrenheit (29 degrees Celsius).



600

### PURE SPC GENERAL INFORMATION

#### Installation Guidelines

- Pure SPC flooring must be installed indoors.
- Pure SPC flooring should not be exposed to temperatures above 140° F (60° C) or below 32° F (0° C).

Expansion space should be left around the perimeter. Typically expansion is equal to the thickness of the product installed.

You can install on grade, below grade or above.

Republic Floor requires 3/8" expansion for every 20 feet in length or width. A T-molding is required for greater than 40 feet in length or width.

A ¼" expansion space must also be for undercut jambs and casing.

Start in a corner and lay first row with tongue sides toward walls. Proper expansion space can be achieved by pulling floor away from wall once first three rows have been installed. Hold the next board against the first board at approximately 45 degree angle and lay flat on floor. Continue in this manner for the entire first row.

Cut end board in first row to correct length and start second row with left over piece (if possible). End joints must be staggered by at least 8" for a natural random appearance. Butt seam must be placed in each row regardless of width.

Hold boards approximately 45 degree angles to board in front. Press forward to engage joint and lay flat on floor.

When three rows have been laid, pull floor away from starting wall until there is proper amount of expansion space. Place shims between floor and wall to maintain this space. You can proceed until the entire floor is finished.

Trim the underlayment before installing quarter rounds or wall base.



# COOCO CO

#### PURE SPC CARE INSTRUCTIONS

#### Warranty

Pure SPC flooring carries a limited 25 year residential warranty and a limited 10 year commercial warranty for wear to the finish under proper usage and maintenance conditions. Pure SPC flooring is guaranteed to be 100% waterproof but spills should be cleaned in a timely manner to prevent the possibility of mold or mildew growth. The guarantee applies only to the original purchaser and proof of purchase is required for all claims. The guarantee is for replacement or refund of the Pure SPC material only, not for any labor. Claims for wear must show a minimum dime size area. This guarantee is pro-rated based on the amount of time the Pure SPC floor has been installed. A percentage would be replaced depending on the length of time since the Pure SPC floor was installed. Defect of goods must be proven by inspection procedures deemed proper by the Manufacturer. Warranty is conditioned upon Manufacturers receipt of notice in writing from the buyer of the alleged defect prior to expiration of the warranty period and evidence that the products were properly installed and not subject to any of the exclusions described below.

#### Exclusions

- Any visible defects noted after installation.
- Consequential or incidental damages, such as any loss, expense or damages other than to the flooring itself that may result from a defect in the flooring.
- Improper installation including, but not limited to, installation by non-licensed individual(s).
- Improper maintenance or inadequate care, including, but not limited to, mold or mildew growth as a result of excessive moisture accumulation.
- Accidents, abuse, or misuse.
- Building settling or uneven sub-floor.
- Damages caused by furniture without felt pads or protective covers.
- Damages caused by sharp objects making contact with the floor.
- Damage caused by excessive sunlight.
- Damages caused by urine or other bodily fluids.



# 1000

#### PURE SPC WARRANTY INFORMATION

#### Maintenance Information

- Place natural fiber rugs at entry points to help trap grit and absorb moisture that may damage the finish. This can protect the floors from dirt or wear.
- To prevent abrasive dirt and dust from accumulating and scratching the finish, vacuum, sweep or dust mop your floor once a week or more if needed. The vacuum head should be a brush or felt attachment. Do not use a vacuum with a beater bar head.
- We recommend Basic Coatings Squeaky Clean or Bona Hardwood Cleaner for regular cleaning and removing grease and smudges from your floor.
- Do not use harsh abrasive cleaners, bleach, ammonia or vinegar based cleaners, wax or acrylic polishes, or oil soaps. These may dull or damage the finish, leaving a greasy film and making the floor slippery and more difficult to clean.
- Protect your floor against direct sunlight or any intense source of artificial lighting. Over time, intense natural and artificial light may discolor the floors.
- Do not roll, or drag heavy objects across your floor. Do not wear shoes having heel taps, spikes, cleats, rocks, gravel or sharp objects protruding from the sole.
- Add felt pads to all furniture and chair legs to prevent damage to the floor. Replace the felt pads when dirty or worn. For extremely heavy objects, use wide, non staining rubber cups. Protective floor coverings for wheeled office furniture should be used.



### PURE SPC MAINTENANCE INFORMATION

OOO CO